

**Declaration of Performance
No. 003/DoP/30/06/2017 REV 1**

In accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council laying down harmonised conditions for the marketing of construction products (CPR EU 305/2011)

1. Unique identification code of product-type:

Fibre-cement flat sheets

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4).

Zeliplat

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Flat sheets for internal and external walls and ceiling finishes

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5) :

Società Italiana Lastre SpA
Via Lenzi, 26 Verolanuova, Brescia, Italy
Tel 0039-030-9920900 Fax 0039-030-9920884
e-mail: info@sil-lastre.com

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):

n.a

6. System or system of assessment and verification of constancy of performance of the construction product as out in Annex V:

System 3

7. Name and identification number of the notified body (in case of the declaration of performance concerning a construction product covered by a harmonised standard) :

CSI SpA
Viale Lombardia, 20
20021 Bollate MI – Italy
Notified body No. 0497

Within the scope of the harmonized standard EN 12467:2012+A1:2016 CSI SpA (NoBo no. 0497) determined this Product Type on the basis of Initial Type Testing and issued the certificate of Type Examination No.

CSI-CERT-No. DE/1983/07

8. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Type of sheets	NT	EN 12467:2012+A1:2016 Fibre-cement flat sheets Product specification and test methods
Mechanical resistance	Category A , Class 3 (minimum 13 MPa)	
Apparent density	$\geq 1,25 \text{ g/cm}^3$	
Reaction to fire	A2 - s1, d0	
Water impermeability	Pass	
Dimensional variations	Level 1	
Release of dangerous substances	No performance determined	
Durability against warm water	$R_L \geq 0,75$	
Durability against soak/dry	$R_L \geq 0,75$	
Durability against freeze-thaw	$R_L \geq 0,75$	
Durability against heat - rain	Pass	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Ing Gianenrico Bonetti

Legal representative of Società Italiana Lastre SpA

Verolanuova, 30/06/2017

Signature.....